

From: [Schindler, Jason](#)
To: [Haklar, James](#)
Cc: [Devorak, Coleen](#)
Subject: Crows Mill Creek sampling plan
Date: Monday, June 5, 2017 3:53:20 PM
Attachments: [2017-05-23 Weston to NJDEP Crows Mill Creek sampling plan FINAL.pdf](#)

Jim,

As I mentioned on my voice mail message, due to an internal oversight USEPA was not copied on the Crows Mill Creek sampling plan that we discussed at the meeting in February. This plan is to delineate the bis(2-ethylhexyl)phthalate exceedance detected in sediment in the southern reach of Crows Mill Creek. I have attached a copy for your information. Let me know if you would like a hard copy as well.

Thanks,

Jason

Jason Schindler
Principal Project Manager
Weston Solutions, Inc.
205 Campus Drive
Edison, NJ 08837
Tel: 732-417-5804
Cell: 732-740-5529
Fax: 732-417-5801

www.westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.